







DATA ACQUISITION SYSTEM

DAS-5

DAS-5 (Data Acquisition System) contains a Campbell Scientific CR800, an SAA232-5, and other components required to automate data collection for up to five ShapeArrays.

DAS-5 includes:

Logger Enclosure

SAA232-5

SAA232-PC Cable

Charge Regulator

50W Solar Panel and Mounting Bracket

Battery Enclosure

Campbell Scientific CR800 data logger

Logger-PC Cable

Wiring and Back Panel

All components are housed within a weatherproof NEMA 4-rated enclosure.

SPECIFICATIONS



LOGGER ENCLOSURE

ENCLOSURE NEMA 4 Enclos	sure
-------------------------	------

INTERNAL COMPONENTS

COMPONENTS	SAA232-5, DIN Rail Power Terminals
LOGGER	Cambell Scientific CR800 Data Logger

POWER SYSTEM

SOLAR PANEL	50 W Solar Panel and Mounting Bracket, 5 kg (10 lbs), 900mm x 600mm x 125mm (36" x 24" x 5")
RECOMMENDED BATTERY ¹	12V, 100Ahr Max Non-Spillable, Absorbed Glass Mat (AGM), Deep Cycle Lead Acid Battery

PHYSICAL PROPERTIES

DIMENSIONS	500 mm x 400 mm x 250 mm (20" x 16" x 10")
WEIGHT	18 kg (40 lbs)

SPECIFICATIONS



BATTERY ENCLOSURE

INTERNAL COMPONENTS

COMPONENTS

SunSaver SS-10-12V Solar Charge Regulator

NEMA 3R 400mm x 400mm x 250mm (16" x 16" x 10")

PHYSICAL PROPERTIES

DIMENSIONS	400 mm x 400 mm x 250 mm (16" x 16" x 10")
WEIGHT	11 kg (24 lbs)

ACCESSORIES

ENCLOSURE

Logger-PC Cable
SAA232-PC Cable

¹ Battery not supplied by manufacturer.

NOTES



